REFERENCE TABLE (updated January 2023)*

*The document contains a comparison summarising the cancer diseases included in the "list of exemptions" with shorter delays than 10/5 years terms, from the right to be forgotten initiatives in France, Belgium and Luxembourg.

Type of Pathology	Histological types and stages - pre-therapeutic stages	Access time from the end of active treatment of cancer pathology and without relapse
TESTICULAR CANCER	Pure seminoma, stage I	3 years
	Pure seminoma, stage II	6 years
	Non-seminomatous tumours or mixed, stage I and II	6 years
BREAST CANCERS (IN SITU)	Ductal Carcinoma in situ Locular Carcinoma in situ	1 year
MELANOMA OF SKIN	Melanoma in situ or Level Clark I Complete exeresis Absence of dysplastic nevus syndrome	1 year
CERVICAL CANCER	CIN III (or HSIL) or in situ	1 year
KIDNEY CANCER (BELGIUM, LUXEMBOURG ONLY)	Renal cell carcinoma (RCC) of clear cell morphology, diagnosed after the age of 50 years, T1N0M0 level of the Fuhrman grade classification I and II Chromophobe renal cell carcinoma, T1N0M0 level	8 years 5 years

COLON AND DECTAL CANCED	Stage Tig (stage 0):	
COLON AND RECTAL CANCER	Stage Tis (stage 0):	
	- Diagnosed after the age of 50	1 years
	years old	
	Stage I: T1N0M0:	
	- diagnosed after the age of 50	
	years	4 years
	- histologic type: adenocarcinoma	
	Stage I: T2N0M0:	
	- Diagnosed after the age of 50	
	years	8 years
	- Histologic type:	(Belgium, Luxembourg only)
	adenocarcinoma	
THYROID CANCER	Papillary/Vesicular <45 year at	
	the diagnosis, stage I	3 years
		,
	Papillary/ vesicular 45 or older at	3 years
	diagnosis, stage I or II	•
	Papillary/vesicular, stage III	6 years (for Belgium and
	1 3	Luxembourg only)
HODGKIN'S LYMPHOMA	Hodgkin's lymphoma stage 1A	6 years / 8 years (for
(BELGIUM, LUXEMBURG ONLY)	after a post-treatment follow-up	Luxembourg)
(BEEGIGIII, BETIENIBERG ONET)	arter a post a carment ronow ap	Eunomoouis)
	Hodgkin's lymphoma stage 1B	
	and 2A after post-treatment	
	follow-up	8 years / 10 years (for
	Tonow-up	Luxembourg)
A CLUME DROLLEY OCCUME	Danadlas of the most of	Luxeiiioouig)
ACUTE PROMYELOCYTIC	Regardless of the number of	2 / 5 (6 1
LEUKAEMIA/ LAP/ LAM3	leukocytes at diagnosis	3 years / 5 (for Luxembourg)
	Treatment performed	

REFERENCE TABLE FOR THE DUTCH DECREE ON INSURANCE EXAMINATIONS OF FORMER CANCER PATIENTS

(Update January 2021)

The table below lists the cancers for which a shorter term applies in the Netherlands. The ten-year period continues to apply for cancers not listed in the table.

Melanoma	Stadium 1	7 years
Testicular cancer		
	Stadium 1	5 years
Seminoma,	Stadium 2 A and Stadium 2 B	6 years
tumor markers negative	Stadium 2 C	8 years
Testicular cancer		
	Stadium 1 and stadium 2A	6 years
Seminoma,	Stadium2B and stadium 2C	8 years
tumor markers negative		
Cervical cancer		
	FIGO-stadium 1A1	3 years
	FIGO-stadium 1A2	5 years
	FIGO-stadium 1B	7 years
Vaginal cancer		-
	FIGO-stadium 1	8 years
Thyroid cancer		
	T1N0M0	
Hürthle cell, follicular and	T2N0M0	3 years
papillary cancer, including	T3N0M0	
hybrid forms		
Age at diagnosis<45 years	T1N1M0	

	T2N1M0 T3N1M0	6 years
Colon and rectal cancer Adenocarcinoma	T1N0M0 and T2N0M0	9 years
Stomach cancer	Stadium 1A	8 years